

**SAMSUNG**

**WF-F1262(S)**  
**WF-F1062(S)**  
**WF-F862(S)**

**BASIC MODEL**  
**F1053**

# ***SERVICE***      *Manual*

**F1262**



**THE FEATURE OF PRODUCT**

- 1. Delay Start**
- 2. Baby Cotton**
- 3. Hand Wash**
- 4. Quick Wash**
- 5. Prewash**

Refer to the service manual in the itself (<http://itself.sec.samsung.co.kr/>) for the more information.

## CONTENTS

---

<b>1. PRECAUTION</b>	
1-1. SAFETY PRECAUTIONS .....	1
1-2. PRECAUTIONS UPON INSTALLATION .....	2
<b>2. THE FEATURE OF PRODUCT</b>	
2-1. SPECIFICATIONS .....	5
2-2. OVERVIEW OF THE WASHING MACHINE .....	6
2-3. THE COMPARATIVE SPECIFICATIONS OF PRODUCT .....	7
<b>3. PRODUCT SPECIFICATIONS</b>	
3-1. OVERVIEW OF THE CONTROL PANEL .....	9
3-2. MAIN FUNCTION .....	10
3-3. MAIN FUNCTION .....	11
3-4. TECHNICAL POINT .....	15
3-5. DESIGNATION OF MAIN COMPONENTS .....	18
<b>4. ALIGNMENT AND ADJUSTMENTS</b>	
4-1. GENERAL ERROR FUNCTION .....	21
4-2. TEST MODE .....	23
<b>5. ASSEMBLE AND DISASSEMBLE</b>	
5-1. TOOLS FOR DISASSEMBLY AND ASSEMBLY .....	24
5-2. ASSEMBLE AND DISASSEMBLE .....	25
<b>6. TROUBLE DIAGNOSIS</b>	
6-1. TROUBLE DIAGNOSIS .....	34
6-2. PROBLEM CHECKING AND METHOD OF PCB .....	36
6-3. DETAILED DIAGNOSIS .....	42
<b>7. EXPLODED VIEWS AND PARTS LIST</b>	
7-1. EXPLODED VIEWS AND PARTS LIST .....	43
7-2. PARTS LIST(SA) .....	49

---

## CONTENTS

---

<b>8. BLOCK DIAGRAM</b>	50
<b>9. WIRING DIAGRAM</b>	
9-1. PCB ASSY LAYOUT	51
9-2. CONNECTOR & RELAY TERMINALS DESCRIPTION (MAIN PCB)	52
<b>10. SCHEMATIC-DIAGRAM (ROLD)</b>	53
<b>11. PCB CIRCUIT DIAGRAM</b>	
11-1. PCB CIRCUIT DIAGRAM	54
<b>12. CIRCUIT DESCRIPTION</b>	
12-1. OVERALL SYSTEM	55
12-2. AC INPUT & POWER CIRCUIT	56
12-3. DRIVING SYSTEM CIRCUIT	57
12-4. MOTOR CIRCUIT	58
12-5. SENSOR DETECTION CIRCUIT	59
12-6. MOTOR TACHO INPUT SYSTEM	60
<b>13. REFERENCE INFORMATION</b>	
13-1. MODEL NAME	61
13-2. TERMINOLOGY	62
13-3. FABRIC CARE CHART	64
13-4. ELECTRICAL WARNINGS	64
13-5. Q&A	65